

NET DIFFERENCE TO LOCAL PLAN ASSUMED CAPACITIES	Baseline scenarios			Refined preferred scenario
	1. PH only	2. PH+50%	3. PH+100%	
Watford Gateway	-1980	-1340	-701	1440
Watford Gateway (adjusted to include planning permission capacities)	-890	-334	221	1789
Town centre	-191	-39	126	68
Colne Valley	-2047	-806	16	1491
Outside CDA	516	1348	2181	1982
Total	-3703	-836	1622	4981
Total (adjusted to include planning permission capacities)	-2613	170	2544	5330
CDA total	-4219	-2185	-559	2999
CDA Total (adjusted to include planning permission capacities)	-3128	-1179	362	3348

TOTAL CAPACITIES	Baseline scenarios			Refined preferred scenario	Local Plan estimates
	1. PH only	2. PH+50%	3. PH+100%		
Watford Gateway	738	1,378	2,017	4,158	2,718
Watford Gateway (adjusted to include planning permission capacities)	1828	2,384	2,939	4,507	2,718
Town centre	328	480	645	587	519
Colne Valley	2302	3,543	4,365	5,840	4,349
Outside CDA	1681	2,513	3,346	3,147	1,165
Total	5,048	7,915	10,373	13,732	8,751
Total (adjusted to include planning permission capacities)	6,138	8,921	11,295	14,081	8,751
CDA Total	3,367	5,401	7,027	10,585	7,586
CDA Total (adjusted to include planning permission capacities)	4,458	6,407	7,948	10,934	7,586